

Girish Patel  
98795 47299

૧૧ ૬૬ ૨૨૧૬૨૦૧૦ ૧૧ ૧૧

(O) 22162010  
94284 11799



**Laxmi Aluminium**



Stockist : ALUMINIUM EXTRUSION SECTIONS  
ALU. DOOR, WINDOW, PARTITION, SQUARE,  
RECTANGULAR, ROUND TUBES,  
ALL TYPE OF ALU. EXTRUSION SECTIONS.

G-15, Abhishek Estate, Nr. Asarwa Over Bridge,  
Civil Hospital Road, Asarwa, Ahmedabad-380016.

E-mail : laxmilaluminium1199@gmail.com



*Making Aluminium, Saving Ecology !*



## About Us

**GOPI ALUMINIUM** The First Plant of its Kind at Ahmedabad (Gujarat) has installed a latest extrusion plant of 1000 M.T. capacity and Other State of the art handling Machinery to produce very reliable Products.

Our in house foundry is equipped with modern melting furnace which incorporates a fully Automatic HOT TOP Casting Technology.

Hence Our products have Highly refined & Uniform Close grain Structure and oxide free Logs. This gives a very superior finish on extruded surfaces.

Our Laboratory is equipped with a latest Multi CCO spectrometer so that all the Raw materials are tested before put into use. This helps in achieving correct metallurgical & mechanical Properties.

Our in house Die making facility gives an edge to our products over other products available in the markets.

A highly accurate gas fired ageing furnace helps in producing carbon free extrusion products. which ultimately results in the best colour & high micron anodizing.

## GOPI ALUMINIUM



### Laxmi Aluminium

Stockist: **ALUMINIUM EXTRUSION SECTION**  
ALUMINIUM DOOR, WINDOW, PARTITION-SECTIONS, SQUARE, RECTANGULAR,  
ROUND TUBES, SHEETS, ALL TYPE OF ALU. EXTRUSION SECTIONS


G-15, Abhishek Estate, Nr. Asarwa Over Bridge, Civil Hospital Road,  
Asarwa, Ahmedabad-380016.

Ph.: (O) 22162010 • M.: 94284 11799 • Girish Patel : 98795 47299



## ARCHITECTURAL


3/4" 1 TRACK TOP



SECTION NO.	T	WT. RANGE KGs/12'
1101	0.70	0.900 - 1.100
1102	1.25	1.600 - 1.800


## 18mm SLIDING WINDOW

3/4" 1 TRACK BOTTOM




SECTION NO.	T	WT. RANGE KGs/12'
1110	0.70	1.000 - 1.200
1112	1.25	1.700 - 1.900

3/4" 2 TRACK TOP




SECTION NO.	T	WT. RANGE KGs/12'
1121	0.75	1.400 - 1.600
1122	0.84	1.600 - 1.800
1123	0.94	1.800 - 2.000
1124	1.04	2.000 - 2.200
1125	1.14	2.200 - 2.500
1126	1.50	2.700 - 2.900

3/4" 2 TRACK BOTTOM



SECTION NO.	T	WT. RANGE KGs/12'
1131	0.65	1.500 - 1.700
1132	0.85	1.700 - 1.900
1133	1.00	2.000 - 2.200
1134	1.10	2.200 - 2.500
1135	1.50	3.100 - 3.400

3/4" 2 TRACK BOTTOM HOLLOW



SECTION NO.	T	WT. RANGE KGs/12'
1140	1.20	3.700 - 4.000
1141	1.50	4.600 - 5.100


SECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN M.M.

## ARCHITECTURAL


## 18mm SLIDING WINDOW

### 3/4" 3 TRACK TOP




SECTION NO.	T	WT. RANGE KGs/12'
1151	0.65	1.800 - 2.000
1152	0.72	2.000 - 2.200
1153	0.87	2.400 - 2.600
1154	0.98	2.700 - 3.000
1155	1.30	3.400 - 3.600
1156	1.50	3.700 - 3.900

### 3/4" 3 TRACK BOTTOM



SECTION NO.	T	WT. RANGE KGs/12'
1160	0.77	2.200 - 2.500
1161	0.89	2.800 - 3.000
1162	1.10	3.200 - 3.400
1163	1.30	3.900 - 4.100
1164	1.50	4.500 - 4.700

### 3/4" 3 TRACK BOTTOM HOLLOW



SECTION NO.	T	WT. RANGE KGs/12'
1170	1.25	5.000 - 5.400
1171	1.50	6.000 - 6.500


SECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN M.M.

## ARCHITECTURAL


## 18mm SLIDING WINDOW

### 3/4" 4 TRACK TOP



SL. NO.	SECTION NO.	T	WT. RANGE KGs/12'
	1180	0.97	3.300 - 3.600
	1181	1.20	4.200 - 4.500
	1182	1.50	4.800 - 5.100

### 3/4" 4 TRACK BOTTOM




SL. NO.	SECTION NO.	T	WT. RANGE KGs/12'
	1186	1.00	4.000 - 4.500
	1187	1.30	4.800 - 5.200
	1188	1.50	5.800 - 6.200

SECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN M.M.

## ARCHITECTURAL


### 3/4" HANDLE



SL. NO.	SECTION NO.	T	WT. RANGE KGs/12'
	1201	0.68	0.900 - 1.000
	1202	0.75	1.000 - 1.200
	1203	0.90	1.200 - 1.400
	1204	1.05	1.400 - 1.600
	1205	1.22	1.600 - 1.700
	1206	1.50	1.800 - 2.000


## 18mm SLIDING WINDOW

### 3/4" TOP BOTTOM




SL. NO.	SECTION NO.	T	WT. RANGE KGs/12'
	1211	0.73	1.000 - 1.200
	1212	0.93	1.200 - 1.400
	1213	1.12	1.400 - 1.600
	1214	1.30	1.600 - 1.750
	1215	1.50	1.800 - 2.000

### 3/4" INTER LOCK




SL. NO.	SECTION NO.	T	WT. RANGE KGs/12'
	1221	0.70	1.100 - 1.200
	1222	0.79	1.200 - 1.400
	1223	1.11	1.550 - 1.700
	1224	1.30	1.700 - 1.850
	1225	1.50	2.000 - 2.200

### 3/4" BEARING BOTTOM



SL. NO.	SECTION NO.	T	WT. RANGE KGs/12'
	1231	1.13	1.600 - 1.800
	1232	1.29	1.800 - 2.100
	1233	1.50	2.100 - 2.500

### 3/4" MIDDLE



SL. NO.	SECTION NO.	T	WT. RANGE KGs/12'
	1235	1.15	1.500 - 1.700
	1236	1.30	1.600 - 1.800


SECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN M.M.

## ARCHITECTURAL


## 18mm SLIDING WINDOW

### 3/4" HANDLE




SECTION NO.	T	WT. RANGE KGs/12'
1240	1.10	1.900 - 2.000
1241	1.50	2.400 - 2.700

### 3/4" BEARING BOTTOM



SECTION NO.	T	WT. RANGE KGs/12'
1246	1.10	1.900 - 2.100
1247	1.50	2.600 - 2.900

### 3/4" INTER LOCK



SECTION NO.	T	WT. RANGE KGs/12'
1251	1.1	1.900 - 2.100
1252	1.5	2.600 - 2.900


SECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN M.M.

## ARCHITECTURAL


## 25mm SLIDING WINDOW

### 1" 2 TRACK TOP



SECTION NO.	T	WT. RANGE KGs/12'
1301	1.30	2.200 - 2.400
1302	1.70	2.900 - 3.100

### 1" 2 TRACK BOTTOM




SECTION NO.	T	WT. RANGE KGs/12'
1306	1.25	2.400 - 2.600
1307	1.60	3.000 - 3.200

### 1" 3 TRACK TOP



SECTION NO.	T	WT. RANGE KGs/12'
1310	1.20	3.350 - 3.500
1311	1.30	3.500 - 3.700
1312	1.50	3.800 - 4.500

### 1" 3 TRACK BOTTOM



SECTION NO.	T	WT. RANGE KGs/12'
1315	1.15	3.500 - 3.800
1316	1.35	4.000 - 4.200
1317	1.50	4.700 - 5.000


SECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN M.M.



## ARCHITECTURAL


### 1" MIDDLE



SECTION NO.	T	WT. RANGE KGs/12'
1351	0.85	1.600 - 1.800
1352	1.00	1.800 - 2.100
1353	1.40	2.500 - 2.700


## 25mm SLIDING WINDOWS

### 1" HANDLE




SECTION NO.	T	WT. RANGE KGs/12'
1356	0.85	1.600 - 1.800
1357	1.20	2.100 - 2.300
1358	1.30	2.250 - 2.400
1359	1.40	2.400 - 2.600
1360	1.50	2.600 - 2.800

### 1" MIDDLE




SECTION NO.	T	WT. RANGE KGs/12'
1361	1.0	2.200 - 2.500
1362	1.2	2.400 - 2.700
1363	1.5	3.000 - 3.300

### 1" HANDLE




SECTION NO.	T	WT. RANGE KGs/12'
1366	1.0	2.100 - 2.400
1367	1.2	2.500 - 2.700
1368	1.5	2.800 - 3.200

### 1" BEARING BOTTOM



SECTION NO.	T	WT. RANGE KGs/12'
1370	1.10	2.200 - 2.400
1371	1.30	2.600 - 2.900
1372	1.50	3.000 - 3.300

### 1" INTER LOCK




SECTION NO.	T	WT. RANGE KGs/12'
1376	0.91	1.800 - 2.100
1377	1.20	2.300 - 2.400
1378	1.30	2.400 - 2.600
1379	1.50	2.800 - 3.100

SECTIONS NOT TO BE SCALED


ALL DIMENSIONS ARE IN M.M.

## ARCHITECTURAL




SECTION NO.	T	WT. RANGE KGs/12'
1401	1.20	2.500 - 2.800
1402	1.50	3.100 - 3.500


## NIDHI WINDOW 22 mm



SECTION NO.	T	WT. RANGE KGs/12'
1410	1.20	3.700 - 4.100
1411	1.50	4.600 - 5.100



SL. NO.	SECTION NO.	T	WT. RANGE KGs/12'
	1415	1.20	2.200 - 2.400
	1416	1.50	2.700 - 3.050




SL. NO.	SECTION NO.	T	WT. RANGE KGs/12'
	1417	1.20	1.000 - 1.100
	1418	1.50	1.250 - 1.400

SECTIONS NOT TO BE SCALED


ALL DIMENSIONS ARE IN M.M.

## ARCHITECTURAL




SECTION NO.	T	WT. RANGE KGs/12'
1451	1.40	0.950 - 1.100
1452	1.60	1.150 - 2.300


## DOMEL 27 mm




SECTION NO.	T	WT. RANGE KGs/12'
1466	1.40	3.000 - 3.300
1467	1.60	3.400 - 3.800



SECTION NO.	T	WT. RANGE KGs/12'
1456	1.40	3.000 - 3.400
1457	1.60	3.400 - 3.900



SECTION NO.	T	WT. RANGE KGs/12'
1471	1.25	1.000 - 1.200
1472	1.50	1.300 - 1.400




SECTION NO.	T	WT. RANGE KGs/12'
1460	1.40	5.000 - 5.600
1461	1.60	5.700 - 6.300

SECTIONS NOT TO BE SCALED


ALL DIMINIONS ARE IN M.M.

## ARCHITECTURAL




SECTION NO.	T	WT. RANGE KGs/12'
1501	1.50	4.900 - 5.400
1502	1.80	5.800 - 6.400


## HANI WINDOW




SECTION NO.	T	WT. RANGE KGs/12'
1510	1.20	1.900 - 2.100
1511	1.50	2.350 - 2.600



SECTION NO.	T	WT. RANGE KGs/12'
1516	1.20	2.200 - 2.500
1517	1.50	2.700 - 3.000



SECTION NO.	T	WT. RANGE KGs/12'
1505	1.50	3.000 - 3.400
1506	1.80	3.500 - 3.900



SECTION NO.	T	WT. RANGE KGs/12'
1521	1.00	1.000 - 1.100
1522	1.20	1.200 - 1.400


SECTIONS NOT TO BE SCALED

ALL DIMINIONS ARE IN M.M.

## ARCHITECTURAL


## CASEMENT WINDOW - A

### OPENABLE FRAME




SECTION NO.	A	B	T	WT. RANGE KGs/12'
1551	42.00	31.00	1.20	1.500 - 1.800
1552	42.00	31.00	1.50	1.800 - 2.100

### OPENABLE SHUTTAR




SECTION NO.	A	B	T	WT. RANGE KGs/12'
1556	42.00	31.20	1.20	2.200 - 2.400
1557	42.00	31.20	1.50	2.650 - 2.950

### OPENABLE MULLIAN



SECTION NO.	A	B	T	WT. RANGE KGs/12'
1561	46.20	42.00	1.20	2.190 - 2.390
1562	46.20	42.00	1.50	2.650 - 2.950

### OPENABLE CLIP




SECTION NO.	A	B	T	WT. RANGE KGs/12'
1566	27.80	15.00	1.05	0.770 - 0.870
1567	27.80	15.00	1.50	1.000 - 1.200

SECTIONS NOT TO BE SCALED


ALL DIMENSIONS ARE IN M.M.

## ARCHITECTURAL




SECTION NO.	T	WT. RANGE KGs/12'
1576	1.50	1.900 - 2.100
1577	2.00	2.500 - 2.800


## CASEMENT WINDOW - B




SECTION NO.	T	WT. RANGE KGs/12'
1581	1.50	2.000 - 2.300
1582	2.00	2.700 - 3.000



SECTION NO.	T	WT. RANGE KGs/12'
1586	1.50	2.700 - 3.000
1587	2.00	3.600 - 4.000



SECTION NO.	T	WT. RANGE KGs/12'
1590	1.50	3.300 - 3.800
1591	2.00	4.500 - 5.000




SECTION NO.	T	WT. RANGE KGs/12'
1596	0.60	0.400 - 0.500
1597	1.20	0.800 - 0.900

SECTION NO.	T	WT. RANGE KGs/12'
1598	1.45	2.600 - 2.900
1599	2.00	3.500 - 4.000

SECTIONS NOT TO BE SCALED


ALL DIMENSIONS ARE IN M.M.

## ARCHIT




SECTION NO.	T	WT. RANGE KGs/12'
2401	1.05	2.400 - 2.700
2402	1.30	2.900 - 3.300


## T DOOR MOLDING




SECTION NO.	T	WT. RANGE KGs/12'
2416	1.20	2.200 - 2.500
2417	1.40	2.600 - 2.900




SECTION NO.	T	WT. RANGE KGs/12'
2406	1.05	1.600 - 1.800
2407	1.30	2.050 - 2.250



SECTION NO.	T	WT. RANGE KGs/12'
2421	1.05	2.300 - 2.600
2422	1.30	2.900 - 3.100



SECTION NO.	T	WT. RANGE KGs/12'
2411	1.30	2.400 - 2.700
2412	1.50	2.800 - 3.100




SECTION NO.	T	WT. RANGE KGs/12'
2426	1.00	2.600 - 2.900
2428	1.30	3.300 - 3.800

SECTIONS NOT TO BE SCALED


ALL DIMENSIONS ARE IN M.M.

## ARCHIT

## T DOOR MOLDING



SECTION NO.	T	WT. RANGE KGs/12'
2431	1.00	1.950 - 2.200
2432	1.30	2.500 - 2.800
2433	1.50	2.850 - 3.200



SECTION NO.	T	WT. RANGE KGs/12'
2413	1.10	3.400 - 3.800
2414	1.30	4.000 - 4.400


SECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN M.M.



## ARCHITECTURAL


### 3/4" MIDDLE



SECTION NO.	T	WT. RANGE KGs/12'
1234	0.90	1.200 - 1.300
1235	1.15	1.500 - 1.700
1236	1.30	1.600 - 1.800


## T DOOR 19 mm

### 3/4" HANDLE




SECTION NO.	T	WT. RANGE KGs/12'
1201	0.68	0.900 - 1.000
1202	0.75	1.000 - 1.200
1203	0.90	1.200 - 1.400
1204	1.05	1.400 - 1.600
1205	1.22	1.600 - 1.700
1206	1.50	1.800 - 2.000

### 1 1/2" X 1" P PIPE



SECTION NO.	T	WT. RANGE KGs/12'
1266	0.75	0.850 - 1.000
1267	0.95	1.100 - 1.200
1268	1.09	1.200 - 1.300




### 3/4" HANDLE

SECTION NO.	T	WT. RANGE KGs/12'
1240	1.10	1.900 - 2.000
1241	1.50	2.400 - 2.700

SECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN M.M.


## ARCHITECTURAL



WT - 2.200 KG./12'

SECTION NO.	T	WT. RANGE KGs/12'
1366	1.00	2.100 - 2.400
1367	1.20	2.500 - 2.700
1368	1.50	2.800 - 3.200


## DOOR



WT - 2.380 KG./12'


SECTION NO.	T	WT. RANGE KGs/12'
1361	1.00	2.200 - 2.500
1362	1.20	2.400 - 2.700
1363	1.50	3.000 - 3.3.00

## 1" MIDDLE




SECTION NO.	T	WT. RANGE KGs/12'
1351	0.85	1.600 - 1.800
1352	1.00	1.800 - 2.100
1353	1.40	2.500 - 2.700

## 1" HANDLE



SECTION NO.	T	WT. RANGE KGs/12'
1356	0.85	1.600 - 1.800
1357	1.20	2.100 - 2.300
1358	1.30	2.250 - 2.400
1359	1.40	2.400 - 2.600
1360	1.50	2.600 - 2.800

## 2" X 1" L PIPE




SECTION NO.	T	WT. RANGE KGs/12'
1385	0.73	1.000 - 1.200
1386	0.95	1.300 - 1.400
1387	1.40	1.600 - 1.900

SECTIONS NOT TO BE SCALED


ALL DIMINIONS ARE IN M.M.

## ARCHITECTURAL


### LEG PARTITION



SL. NO.	SECTION NO.	A	B	T	WT. RANGE KGs/12'
	1601	63.5	38.10	1.30	3.400 - 3.750
	1602	63.5	38.10	1.50	4.000 - 4.500
	1603	63.5	38.10	2.00	5.000 - 5.700
	1604	63.5	38.10	3.00	7.500 - 8.300




SECTION NO.	T	WT. RANGE KGs/12'
1611	2.00	4.500 - 5.000
1612	2.50	5.600 - 6.200




SECTION NO.	T	WT. RANGE KGs/12'
1621	1.2	4.200 - 4.500
1622	1.5	5.300 - 5.800

## DOOR


### GLAZING CLIP



SL. NO.	SECTION NO.	T	WT. RANGE KGs/12'
	1606	0.72	0.320 - 0.360
	1607	0.82	0.360 - 0.420
	1608	0.90	0.420 - 0.480
	1609		



SECTION NO.	T	WT. RANGE KGs/12'
1617	1.50	2.900 - 3.200
1618	2.00	3.800 - 4.200




SECTION NO.	T	WT. RANGE KGs/12'
1626	1.40	2.300 - 3.600
1627	1.60	3.800 - 4.200

SECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN M.M.

## ARCHITECTURAL


### DOOR MIDDLE SINGLE



SL. NO.	SECTION NO.	A	B	T	WT. RANGE KGs/12'
	1651	47.50	44.45	1.05	2.300 - 2.500
	1652	47.50	44.45	1.30	2.500 - 2.800
	1653	47.50	44.45	1.45	2.800 - 3.100
	1656	83.00	44.45	1.40	3.600 - 4.500
	1657	83.00	44.45	2.00	5.000 - 5.500
	1658	83.00	44.45	2.43	6.000 - 6.500
	1659	83.00	45.50	3.00	7.400 - 8.100


## DOOR

### DOOR MIDDLE DOUBLE




SL. NO.	SECTION NO.	A	B	T	WT. RANGE KGs/12'
	1661	47.50	44.45	1.17	2.300 - 2.500
	1662	47.50	44.45	1.30	2.500 - 2.800
	1663	47.50	44.45	1.45	2.800 - 3.100
	1666	83.00	44.45	1.50	4.000 - 4.500
	1667	83.00	44.45	1.90	5.000 - 5.500
	1668	83.00	44.45	2.35	6.000 - 6.500
	1669	83.00	44.45	3.60	7.700 - 8.500

### DOOR TOP & BOTTOM




SL. NO.	SECTION NO.	A	B	T	WT. RANGE KGs/12'
	1670	47.50	10.15	1.35	2.500 - 2.700
	1671	47.50	10.15	2.00	3.600 - 4.000
	1672	47.50	10.15	3.18	5.000 - 6.000
	1676	83.00	9.50	1.40	3.400 - 4.100
	1677	83.00	9.50	2.00	4.950 - 5.400
	1678	83.00	9.50	3.00	7.500 - 8.000
	1681	114.30	25.40	1.30	4.100 - 4.600
	1682	114.30	25.40	2.00	6.100 - 6.500
	1683	114.30	25.40	3.00	9.000 - 9.900

### DOOR VERTICAL



SL. NO.	SECTION NO.	A	B	T	WT. RANGE KGs/12'
	1686	47.50	44.45	1.20	2.400 - 2.600
	1687	47.50	44.45	1.52	3.000 - 3.500
	1688	47.50	44.45	2.00	3.800 - 4.200
	1689	47.50	44.45	3.00	5.400 - 6.000
	1691	83.50	44.45	1.40	3.500 - 3.900
	1692	83.50	44.45	2.00	5.000 - 5.500
	1693	83.50	44.45	3.18	7.000 - 7.500

### GLAZING PLATE




SL. NO.	SECTION NO.	A	B	T	WT. RANGE KGs/12'
	1695	43.3	3.25	1.05	0.600 - 0.800

SECTIONS NOT TO BE SCALED


ALL DIMENSIONS ARE IN M.M.

## ARCHITECTURAL



SECTION NO.	T	WT. RANGE KGs/12'
1696	3.00	6.500 - 7.500
1697		

## DOOR




SECTION NO.	T	WT. RANGE KGs/12'
1698	3.00	10.000 - 12.000
1699		

SECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN M.M.

## ARCHITECTURAL


### SINGLE PARTITION



SL. NO.	SECTION NO.	A	B	T	WT. RANGE KGs/12'
	1701	50.8	25.4	0.68	1.200 - 1.500
	1702	50.8	25.4	0.88	1.500 - 1.700
	1706	63.0	38.0	0.79	1.700 - 1.900
	1707	63.0	38.0	0.90	1.900 - 2.200
	1708	63.0	38.0	1.05	2.200 - 2.400
	1709	63.0	38.0	1.15	2.400 - 2.600
	1710	63.0	38.0	1.28	2.600 - 2.900
	1711	63.0	38.0	1.36	2.900 - 3.100
	1712	63.0	38.0	1.46	3.100 - 3.400
	1713	63.0	38.0	1.61	3.400 - 3.700
	1714	63.0	38.0	1.92	3.900 - 4.200
	1715	63.0	38.0	1.96	4.000 - 4.500
	1716	63.0	38.0	2.25	4.500 - 5.000
	1717	63.0	38.0	2.50	5.000 - 5.500
	1718	63.0	38.0	2.76	5.500 - 6.000
	1719	63.0	38.0	3.05	6.000 - 6.500
	1726	95.0	32.0		
	1731	101.6	44.45	1.27	3.800 - 4.000
	1732	101.6	44.45	1.60	4.800 - 5.000
	1733	101.6	44.45	1.70	5.000 - 5.500
	1734	101.6	44.45	1.88	5.500 - 6.000
	1735	101.6	44.45	2.07	6.000 - 6.500
	1736	101.6	44.45	2.25	6.500 - 7.000
	1737	101.6	44.45	2.41	7.000 - 7.500
	1738	101.6	44.45	2.60	7.500 - 8.000
	1739	101.6	44.45	2.80	8.000 - 8.500
	1740	101.6	44.45	3.00	8.500 - 9.000
	1741	101.6	44.45	3.15	9.000 - 9.500

## PARTITIONS

### DOUBLE PARTITION



SL. NO.	SECTION NO.	A	B	T	WT. RANGE KGs/12'
	1751	50.8	25.4	0.72	1.300 - 1.600
	1752	50.8	25.4	0.82	1.600 - 1.800
	1756	63.0	38.0	0.70	1.800 - 2.000
	1757	63.0	38.0	0.85	2.100 - 2.300
	1758	63.0	38.0	0.96	2.300 - 2.500
	1759	63.0	38.0	1.05	2.500 - 2.700
	1760	63.0	38.0	1.25	2.900 - 3.100
	1761	63.0	38.0	1.35	3.100 - 3.400
	1762	63.0	38.0	1.50	3.400 - 3.600
	1763	63.0	38.0	1.60	3.600 - 3.800
	1764	63.0	38.0	1.70	3.800 - 4.000
	1765	63.0	38.0	1.82	4.000 - 4.500
	1766	63.0	38.0	2.05	4.500 - 5.000
	1767	63.0	38.0	2.33	5.000 - 5.500
	1768	63.0	38.0	2.60	5.500 - 6.000
	1769	63.0	38.0	2.88	6.000 - 6.500
	1775	101.6	44.45	1.20	3.800 - 4.000
	1776	101.6	44.45	1.60	4.500 - 5.500
	1777	101.6	44.45	1.77	5.500 - 6.000
	1778	101.6	44.45	1.96	6.000 - 6.600
	1779	101.6	44.45	2.17	6.600 - 7.200
	1780	101.6	44.45	2.40	7.200 - 7.800
	1781	101.6	44.45	2.60	7.800 - 8.400
	1782	101.6	44.45	2.82	8.400 - 9.000
	1783	101.6	44.45	3.05	9.000 - 9.500
	1784	101.6	44.45	3.15	9.500 - 9.900


SECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN M.M.

## ARCHITECTURAL

## DOOR

SQ GLAZING CLIP




SECTION NO.	T	WT. RANGE KGs/12'
1801	0.66	0.400 - 0.500
1802	0.77	0.500 - 0.550

SECTIONS NOT TO BE SCALED


ALL DIMENSIONS ARE IN M.M.

## ARCHITECTURAL




SECTION NO.	T	WT. RANGE KGs/12'
1901	1.90	5.000 - 5.500
1902	2.30	6.000 - 6.600

## CURTAINWALL



SECTION NO.	T	WT. RANGE KGs/12'
1911	1.10	2.050 - 2.300
1912	1.30	2.400 - 2.700




SECTION NO.	T	WT. RANGE KGs/12'
1921	1.96	5.560 - 6.100
1922	2.30	6.500 - 7.200

SECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN M.M.




## ARCHITECTURAL




SECTION NO.	T	WT. RANGE KGs/12'
2001	1.20	1.450 - 1.600
2002	1.50	1.800 - 2.000


## LOUVER



SECTION NO.	T	WT. RANGE KGs/12'
2011	1.00	1.900 - 2.100
2012	1.20	2.300 - 2.500



SECTION NO.	T	WT. RANGE KGs/12'
2021	1.50	3.350 - 3.700
2022	2.00	4.400 - 4.900




SECTION NO.	T	WT. RANGE KGs/12'
2031	1.50	1.200 - 1.350
2032	2.00	1.600 - 1.800

SECTIONS NOT TO BE SCALED


ALL DIMENSIONS ARE IN M.M.

## ARCHITECTURAL




SECTION NO.	T	WT. RANGE KGs/12'
2041	1.27	2.850 - 3.200
2042	1.50	3.400 - 3.700

## LOUVER




SECTION NO.	T	WT. RANGE KGs/12'
2051	1.20	2.000 - 2.200
2052	1.50	2.500 - 2.800



SECTION NO.	T	WT. RANGE KGs/12'
2061	1.10	0.850 - 0.950
2062	1.50	1.200 - 1.400

SECTION NO.	T	WT. RANGE KGs/12'
2071	1.30	1.300 - 1.500
2072	1.50	1.500 - 1.650




SECTION NO.	T	WT. RANGE KGs/12'
2081	1.80	2.250 - 2.500
2082	2.00	2.500 - 2.800

SECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN M.M.

## ARCHITECTURAL

## RECTANGULAR TUBE



SL. NO.	SECTION NO.	A	B	T	WT. RANGE KGs/12'
	2101	36.0	24.0	0.69	0.750 - 0.850
	2102	36.0	24.0	0.96	1.100 - 1.300
	2103	36.0	24.0	1.20	1.300 - 1.500
	2106	48.0	24.0	0.65	0.900 - 1.100
	2107	48.0	24.0	0.80	1.100 - 1.300
	2108	48.0	24.0	0.94	1.300 - 1.500
	2109	48.0	24.0	1.15	1.500 - 1.800
	2111	62.0	24.0	0.75	1.200 - 1.400
	2112	62.0	24.0	0.85	1.400 - 1.800
	2113	63.0	38.0	0.73	1.400 - 1.550
	2114	63.5	38.1	0.81	1.600 - 1.800
	2115	63.5	38.1	0.92	1.800 - 2.100
	2116	63.5	38.1	1.05	2.100 - 2.400
	2117	63.5	38.1	1.25	2.400 - 2.700
	2118	63.5	38.1	1.40	2.700 - 2.900
	2121	75.0	24.0	1.05	1.700 - 2.000
	2122	75.0	50.0		
	2126	81.0	38.1	0.85	1.900 - 2.100
	2127	81.0	38.1	1.20	2.700 - 3.000
	2128	81.0	38.1	1.50	2.400 - 2.700
	2129	81.0	38.1	2.00	3.200 - 3.500
	2130	81.0	38.1	3.00	4.800 - 5.300

SL. NO.	SECTION NO.	A	B	T	WT. RANGE KGs/12'
	2151	95.0	24.0	0.81	1.800 - 2.000
	2152	95.0	24.0	0.94	2.200 - 2.400
	2153	95.0	24.0	1.00	2.500 - 2.800
	2154	95.0	24.0	2.00	4.400 - 4.900
	2156	101.6	44.45	1.50	3.300 - 3.700
	2157	101.6	44.45	1.00	2.800 - 3.100
	2158	101.6	44.45	1.32	3.700 - 4.100
	2159	101.6	44.45	1.45	4.100 - 4.500
	2160	101.6	44.45	1.78	5.000 - 5.000
	2161	101.6	44.45	1.95	5.500 - 5.500
	2162	101.6	44.45	2.35	6.500 - 7.000
	2165	123.0	24.0	1.03	2.900 - 3.300
	2166	123.0	24.0	1.30	3.800 - 4.100
	2167	123.0	24.0	1.50	4.400 - 4.900
	2168	123.0	24.0	2.00	5.900 - 6.500


SECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN M.M.






## ARCHITECTURAL




SECTION NO.	T	WT. RANGE KGs/12'
2501	1.50	2.600 - 2.800
2502	2.30	3.900 - 4.300


## GLASS DOOR



SECTION NO.	T	WT. RANGE KGs/12'
2511	1.50	3.300 - 3.700
2512	2.10	4.600 - 5.050




SECTION NO.	T	WT. RANGE KGs/12'
2521	1.50	3.800 - 4.100
2522	2.50	6.200 - 6.900




SECTION NO.	T	WT. RANGE KGs/12'
2531	1.70	1.700 - 2.000
2532	2.70	2.750 - 3.250

SECTIONS NOT TO BE SCALED


ALL DIMINSIONS ARE IN M.M.



SECTION NO.	T	WT. RANGE KGs/12'
2541	1.00	0.950 - 1.100
2542	1.20	1.150 - 1.300




SECTION NO.	T	WT. RANGE KGs/12'
2551	0.65	0.770 - 0.850
2552	1.00	1.000 - 1.300



SECTION NO.	T	WT. RANGE KGs/12'
2561	1.05	1.500 - 1.650
2562	1.20	1.700 - 1.900




SECTION NO.	T	WT. RANGE KGs/12'
2571	1.00	1.140 - 1.300
2572	1.20	1.350 - 1.500




SECTION NO.	T	WT. RANGE KGs/12'
2581	1.50	1.700 - 1.900
2582	2.00	2.200 - 2.500

SECTIONS NOT TO BE SCALED


ALL DIMENSIONS ARE IN M.M.




SECTION NO.	T	WT. RANGE KGs/12'
2601	1.40	8.300 - 9.200
2602	1.60	9.400 - 10.500




SECTION NO.	T	WT. RANGE KGs/12'
2611	1.80	4.400 - 5.000
2612	2.10	5.100 - 5.600



SECTION NO.	T	WT. RANGE KGs/12'
2621	1.50	4.100 - 4.500
2622	1.70	4.600 - 5.100



SECTION NO.	T	WT. RANGE KGs/12'
2631	1.50	4.300 - 4.800
2632	1.70	4.850 - 5.400




SECTION NO.	T	WT. RANGE KGs/12'
2641	1.30	2.500 - 2.800
2642	1.50	2.900 - 3.200

SECTIONS NOT TO BE SCALED


ALL DIMENSIONS ARE IN M.M.









SECTION NO.	T	WT. RANGE KGs/12'
2801	1.50	1.800 - 2.000
2802	3.00	2.100 - 2.400




SECTION NO.	T	WT. RANGE KGs/12'
2811	1.10	1.800 - 2.000
2812	1.30	2.200 - 2.400




SECTION NO.	T	WT. RANGE KGs/12'
2821	2.30	2.800 - 3.100
2822	2.60	3.200 - 3.600



SECTION NO.	T	WT. RANGE KGs/12'
2831	1.05	1.300 - 1.450
2832	1.20	1.500 - 1.650



SECTION NO.	T	WT. RANGE KGs/12'
2841		
2842		




SECTION NO.	T	WT. RANGE KGs/12'
2851	1.00	0.950 - 1.100
2852	1.20	1.150 - 1.300

SECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN M.M.

## ARCHITECTURAL


### EQUAL ANGLE



SL. NO.	SECTION NO.	A	B	T	WT. RANGE KGs/12'
	2901	19.0	19.0	2.20	0.800 - 0.900
	2902	19.0	19.	3.00	1.000 - 1.200
	2911	25.0	25.0	2.00	0.900 - 1.000
	2912	25.0	25.0	3.00	1.350 - 1.500
	2921	31.0	31.0	2.50	1.200 - 1.400
	2922	31.0	31.0	3.30	1.600 - 1.800
	2931	38.0	38.0	3.00	1.800 - 2.000
	2932	38.0	38.0	3.40	2.000 - 2.300
	2941	50.0	50.0	3.00	2.300 - 2.600
	2942	50.0	50.0	3.50	2.600 - 3.000

## ANGLES & TOWER BOLTS

### UNEQUAL ANGLE




SL. NO.	SECTION NO.	A	B	T	WT. RANGE KGs/12'


SECTIONS NOT TO BE SCALED

SECTIONS NOT TO BE SCALED


ALL DIMENSIONS ARE IN M.M.




SECTION NO.	T	WT. RANGE KGs/12'
3001		3.000 - 3.300




SECTION NO.	T	WT. RANGE KGs/12'
3011		2.800 - 3.100



SECTION NO.	T	WT. RANGE KGs/12'
3021		1.100 - 1.250




SECTION NO.	T	WT. RANGE KGs/12'
3031		1.850 - 2.100




SECTION NO.	T	WT. RANGE KGs/12'
3041	1.70	0.650 - 0.750
3042	2.00	0.800 - 0.900

SECTIONS NOT TO BE SCALED


ALL DIMENSIONS ARE IN M.M.




SECTION NO.	T	WT. RANGE KGs/12'
3201	1.30	1.200 - 1.350




SECTION NO.	T	WT. RANGE KGs/12'
3211	2.00	1.250 - 1.400



SECTION NO.	T	WT. RANGE KGs/12'
3221	1.50	0.900 - 1.000



SECTION NO.	T	WT. RANGE KGs/12'
3231	2.00	




SECTION NO.	T	WT. RANGE KGs/12'
3241		


SECTION NO.	T	WT. RANGE KGs/12'
3251		

SECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN M.M.




SECTION NO.	T	WT. RANGE KGs/12'
3301		5.100 - 5.600




SECTION NO.	T	WT. RANGE KGs/12'
3311		8.600 - 9.500

SECTIONS NOT TO BE SCALED


ALL DIMENSIONS ARE IN M.M.




SECTION NO.	T	WT. RANGE KGs/12'
3401	1.80	4.000 - 4.400
3402	2.00	4.450 - 4.900




SECTION NO.	T	WT. RANGE KGs/12'
3411	1.80	3.600 - 4.000
3412	2.00	4.050 - 4.400



SECTION NO.	T	WT. RANGE KGs/12'
3421	1.80	3.750 - 4.100
3422	2.00	4.200 - 4.600




SECTION NO.	T	WT. RANGE KGs/12'
3431	1.80	3.400 - 3.800
3432	2.00	3.800 - 4.200




SECTION NO.	T	WT. RANGE KGs/12'
3441	1.50	2.100 - 2.300
3442	1.70	2.400 - 2.600

SECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN M.M.



SECTION NO.	T	WT. RANGE KGs/12'
3451	1.70	5.100 - 5.600
3452	1.90	5.700 - 6.300




SECTION NO.	T	WT. RANGE KGs/12'
3461	1.80	4.900 - 5.400
3462	2.00	5.450 - 6.000


SECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN M.M.







SECTION NO.	T	WT. RANGE KGs/12'
3501	2.20	4.700 - 5.200
3502	2.50	5.300 - 5.900




SECTION NO.	T	WT. RANGE KGs/12'
3511	1.50	3.000 - 3.300
3512	1.70	3.400 - 3.800




SECTION NO.	T	WT. RANGE KGs/12'
3521	1.40	2.700 - 3.000
3522	1.60	3.050 - 3.400



SECTION NO.	T	WT. RANGE KGs/12'
3531	1.50	5.000 - 5.500
3532	1.70	5.600 - 6.200




SECTION NO.	T	WT. RANGE KGs/12'
3541	1.80	2.900 - 3.200
3542	2.00	3.250 - 3.500




SECTION NO.	T	WT. RANGE KGs/12'
3551	1.50	4.300 - 4.800
3552	1.70	1.700 - 5.400

SECTIONS NOT TO BE SCALED


ALL DIMENSIONS ARE IN M.M.



SECTION NO.	T	WT. RANGE KGs/12'
3601	1.50	2.200 - 2.400
3602	1.70	2.500 - 2.800




SECTION NO.	T	WT. RANGE KGs/12'
3611	1.60	2.700 - 3.000
3612	1.80	3.050 - 3.400




SECTION NO.	T	WT. RANGE KGs/12'
3621	1.00	3.400 - 3.800
3622	1.20	4.000 - 4.500

SECTIONS NOT TO BE SCALED


ALL DIMENSIONS ARE IN M.M.



SECTION NO.	T	WT. RANGE KGs/12'
3701	1.10	2.300 - 2.600
3702	1.30	2.700 - 3.000




SECTION NO.	T	WT. RANGE KGs/12'
3711	1.30	3.500 - 3.850
3712	1.50	4.000 - 4.400




SECTION NO.	T	WT. RANGE KGs/12'
3721	4.00	1.750 - 1.950
3722	5.00	2.200 - 2.450

SECTIONS NOT TO BE SCALED


ALL DIMENSIONS ARE IN M.M.




SECTION NO.	T	WT. RANGE KGs/12'
3801		8.300 - 9.100



SECTION NO.	T	WT. RANGE KGs/12'
3811		8.900 - 9.800




SECTION NO.	T	WT. RANGE KGs/12'
3821		11.300 - 12.500




SECTION NO.	T	WT. RANGE KGs/12'
3831		6.900 - 7.600

SECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN M.M.




SECTION NO.	T	WT. RANGE KGs/12'
3901	1.50	1.250 - 1.400
3902	2.00	1.650 - 1.850




SECTION NO.	T	WT. RANGE KGs/12'
3911	2.00	5.600 - 6.150
3912	2.50	7.000 - 7.700




SECTION NO.	T	WT. RANGE KGs/12'
3921	1.70	3.800 - 4.200
3922	2.00	4.400 - 4.900



SECTION NO.	T	WT. RANGE KGs/12'
3931	2.50	3.000 - 3.300
3932	3.00	3.000 - 3.800




SECTION NO.	T	WT. RANGE KGs/12'
3941	1.70	5.500 - 6.100
3942	2.00	6.450 - 7.100



SECTION NO.	T	WT. RANGE KGs/12'
3951	2.50	6.200 - 6.900
3952	3.00	7.400 - 8.200

SECTIONS NOT TO BE SCALED


ALL DIMENSIONS ARE IN M.M.



SECTION NO.	T	WT. RANGE KGs/12'
4001	3.00	8.600 - 9.500
4002	3.30	9.500 - 10.500

SECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN M.M.




WT KG/12FEET = 1.000

SECTION NO.	T	WT. RANGE KGs/12'
4101	1.20	1.000 - 1.100
4102	1.45	1.200 - 1.350

SECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN M.M.



SECTION NO.	T	WT. RANGE KGs/12'
4201	1.35	0.440 - 0.480
4202	1.50	0.490 - 0.540




SECTION NO.	T	WT. RANGE KGs/12'
4211	1.35	1.800 - 2.000
4212	1.60	2.100 - 2.400


SECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN M.M.







SECTION NO.	T	WT. RANGE KGs/12'
4301	2.50	2.900 - 3.200
4302	3.00	3.500 - 3.850




SECTION NO.	T	WT. RANGE KGs/12'
4311	2.60	11.500 - 12.700
4312	3.00	13.300 - 14.600




SECTION NO.	T	WT. RANGE KGs/12'
4321	1.70	5.700 - 6.300
4322	2.00	6.700 - 7.400



SECTION NO.	T	WT. RANGE KGs/12'
4331	2.60	11.500 - 12.700
4332	3.00	13.300 - 14.600




SECTION NO.	T	WT. RANGE KGs/12'
4341	1.30	1.500 - 1.750
4342	1.60	1.800 - 2.000



SECTION NO.	T	WT. RANGE KGs/12'
4351	5.50	5.200 - 5.800
4352	6.50	6.200 - 6.800

SECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN M.M.




WT KG/12FEET = 5.400

SECTION NO.	T	WT. RANGE KGs/12'
4401	2.80	5.400 - 6.000
4402	3.10	6.050 - 6.690

SECTION NO.	T	WT. RANGE KGs/12'


SECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN M.M.




WT KG/12FEET = 1.550

SECTION NO.	T	WT. RANGE KGs/12'
4501		
4502		




WT KG/12FEET = 1.250

SECTION NO.	T	WT. RANGE KGs/12'
4511		
4512		




WT KG/12FEET = 5.450

SECTION NO.	T	WT. RANGE KGs/12'
4521		
4522		



WT KG/12FEET = 3.000

SECTION NO.	T	WT. RANGE KGs/12'
4531		
4532		




WT KG/12FEET = 3.790


SECTION NO.	T	WT. RANGE KGs/12'
4541		
4542		

SECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN M.M.



SECTION NO.	T	WT. RANGE KGs/12'
4601	1.70	1.700 - 1.900



SECTION NO.	T	WT. RANGE KGs/12'
4611		

SECTIONS NOT TO BE SCALED

ALL DIMENSIONS ARE IN M.M.



# Laxmi Aluminium

G-15, Abhishek Estate, Nr. Asarwa Over Bridge, Civil Hospital Road, Asarwa, Ahmedabad-380016.

www.laxmialuminium.com - E-mail : laxmialuminium1199@gmail.com

RATE CARD : POWDER COATING &amp; COLOUR ANODIZE

Effect Dt. 2014

S.No.	ITEM NAME	POWDER RUN. FIT	COLOUR ANODIZE		
			15 MIC	15 MIC	15 MIC
1	3/4 2 TRACK TOP	9-25	19-75	25-50	28-25
2	3/4 2 TRACK BOTTOM	11-00	21-00	25-00	30-00
3	3/4 2 TRACK BOTTOM & PARTITION	11-75	24-50	29-50	34-00
4	3/4 3 TRACK TOP	13-00	24-75	29-75	35-75
5	3/4 3 TRACK BOTTOM	14-50	30-00	36-00	43-00
6	3/4 3 TRACK BOTTOM HOLLOW	15-75	32-25	39-00	46-00
7	3/4 4 TRACK TOP	17-00	34-00	40-75	48-75
8	3/4 4 TRACK BOTTOM	18-25	37-00	44-75	53-50
9	3/4 HANDLE	4-75	8-75	10-50	12-75
10	3/4 INTERLOCK	6-00	11-50	14-00	16-75
11	3/4 TOP BOTTOM	4-75	9-25	12-00	14-50
12	3/4 BEARING BOTTOM	6-75	12-25	14-75	17-75
13	3/4 MIDDLE	4-75	9-25	11-00	14-25
14	60MM HANDLE	6-75	10-75	12-75	15-50
15	60MM INTERLOCK	8-00	14-50	17-50	21-00
16	60MM TOP BOTTOM	6-75	16-00	19-50	23-00
17	1"2 TRACK TOP	12-00	20-00	24-00	29-00
18	1"2 TRACK BOTTOM	13-00	22-25	26-75	32-00
19	1"2 TRACK BOTTOM HOLLOW	17-25	24-75	30-00	35-25
20	1"3 TRACK TOP	15-00	26-75	32-00	38-50
21	1"3 TRACK BOTTOM	16-25	30-00	36-00	43-00
22	1"3 TRACK BOTTOM HOLLOW	18-75	33-50	40-00	49-50
23	1" HANDLE	6-00	10-75	12-75	15-50
24	1" INTERLOCK	8-00	14-50	17-50	21-00
25	1" TOP BOTTOM	6-75	16-00	19-25	23-00
26	1" MIDDLE	6-00	11-75	14-00	16-75
27	2.5 X 1.5 SINGLE / DOUBLE	9-25	12-75	15-00	18-00
28	1.75 X 1.75 SINGLE / DOUBLE	8-75	11-00	14-50	16-00
29	4 X 1.75 SINGLE / DOUBLE	13-00	18-00	21-75	26-00
30	2.5 X 1.5 LAG / FRAME	9-75	15-00	18-00	21-75
31	TRIANGLE / SAMOSA	11-00	21-00	25-00	30-00
32	2 X 1 SINGLE / DOUBLE	4-75	9-50	11-25	13-75

S.No.	ITEM NAME	POWDER RUN. FIT	COLOUR ANODIZE		
			15 MIC	15 MIC	15 MIC
33	DOOR BOTTAM (114 MM)	11-75	21-75	24-75	29-75
34	DOOR VERTICAL (45 MM)	8-75	12-00	14-50	17-25
35	DOOR VERTICAL (85 MM)	11-00	16-50	19-75	24-75
36	TIPS VERTICAL	9-75	17-50	27-00	30-25
37	DOOR TOP (45 MM)	8-75	12-25	14-75	17-75
38	DOOR TOP (85 MM)	11-00	16-50	19-25	23-00
39	TWINCE 12 MM	11-00	21-00	25-00	30-00
40	SINGLE / DOUBLE MIDDLE (85 MM)	11-00	16-50	19-25	23-00
41	GLAZING CLIP	2-00	4-75	5-50	6-75
42	GLAZING PLATE	2-75	8-00	9-25	10-75
43	1.5 X 1.5 TUBE	6-75	9-50	11-25	13-75
44	1.5 X 1 TUBE	6-00	9-50	11-25	13-75
45	1.5 X 1. " P " TUBE	6-00	9-50	11-25	13-75
46	2 X 1 TUBE	6-75	9-50	11-25	13-75
47	2 X 1. " P " TUBE	7-25	10-00	11-25	13-75
48	2.5 X 1 TUBE	8-00	10-75	12-00	13-75
49	2.5 X 1.5 TUBE	9-25	12-75	15-00	18-00
50	3 X 1 TUBE	9-25	12-25	14-00	15-75
51	4 X 1 TUBE	11-00	15-25	17-50	19-75
52	5 X 1 TUBE	13-00	18-25	21-00	23-50
53	3.25 X 1.5 TUBE	11-00	15-00	17-75	21-50
54	DOMAL 2 TRACK	7-00	17-00	21-00	26-25
55	DOMAL 3 TRACK	10-00	27-00	33-75	42-00
56	DOMAL SHUTTER	7-25	20-25	25-25	31-75
57	DOMAL INTER CLIP	4-75	12-00	14-75	18-50
58	OPELABLE CLIP	4-75	9-25	11-00	14-50
59	OPELABLE FRAME	7-25	14-00	16-75	20-00
60	OPELABLE SHUTTER	7-25	12-75	15-00	18-00
61	OPELABLE MULIAN	10-50	14-50	17-25	20-75
62	CARTAIN WALL SECTION	12-25	15-75	17-75	20-00
63	CARTAIN WALL CLIP	8-00	8-00	9-00	10-50
64	CARTAIN WALL PLATE	8-00	9-00	11-00	13-00